

## Current insecure mode (agl-demo-platform)

```

systemd+-AudioManager+-{dlt_receiver}
|
|           `-{dlt_segmented}
|-afm-system-daem (afm)
|-agetty
|-avahi-daemon (avahi) ---avahi-daemon
|-bluetoothd
|-connmmand
|-cynara (cynara)
|-dbus-daemon (messagebus)
|-dlt-system+-{dlt_receiver}
|
|           `-{dlt_segmented}
|-klogd
|-ofonod
|-polkitd (polkitd) +-{JS GC Helper}
|
|           |-{JS Sour~ Thread}
|           |-{gdbus}
|           |-{gmain}
|           `-{polkitd}
|-security-manage---{security-manage}
|-sshd
|-syslogd
|-systemd+- (sd-pam)
|
|           |-HomeScreen+-{HomeScreen}
|           |
|           |           |-{QDBusConnection}
|           |           |-{QOmlThread}
|           |           `-{QSGRenderThread}
|           |-HomeScreenAppFr---{QDBusConnection}
|           |-InputEventManag---{QDBusConnection}
|           |-MostNetworkMana---6*[{MostNetworkMana}]
|           |-VideoOnDemand---6*[{VideoOnDemand}]
|           |-WindowManager+-{QDBusConnection}
|           |
|           |           `-{WindowManager}
|           |-afm-user-daemon
|           |-dbus-daemon
|           |-lightmediascann+-{gdbus}
|           |
|           |           `-{gmain}
|           |-loadDriver.sh---sleep
|           |-pulseaudio+-{alsa-sink-rsnd-}
|           |
|           |           `-{alsa-source-rsn}
|           `-rygel+-{gdbus}
|           `-{gmain}
|-systemd-journal
|-systemd-logind
|-systemd-udev
|-tcf-agent---3*[{tcf-agent}]
|-udisks-daemon+-udisks-daemon
|
|           |-{gdbus}
|           `-{gmain}
|-weston-launch---weston---weston-keyboard
`-wpa_supplicant

```


## Secure mode with root session (agl-demo-platform, DD)

```

systemd+-AudioManager+-{dlt_receiver}
|
|           `-{dlt_segmented}
|-afm-system-daem(afm)
|-agetty
|-avahi-daemon(avahi)---avahi-daemon
|-bluetoothd
|-connmand
|-cynara(cynara)
|-dbus-daemon(messagebus)
|-dlt-system+-{dlt_receiver}
|           `-{dlt_segmented}
|-klogd
|-ofonod
|-polkitd(polkitd) +-{JS GC Helper}
|
|           |-{JS Sour~ Thread}
|           |-{gdbus}
|           |-{gmain}
|           `-{polkitd}
|-security-manage---{security-manage}
|-sshd
|-syslogd
|-sleep---(sd-pam)
|-systemd+- (sd-pam)
|
|           |-HomeScreen+-2*[{HomeScreen}]
|           |
|           |           |-{QDBusConnection}
|           |           |-{QQtThread}
|           |           `-{QSGRenderThread}
|           |-HomeScreenAppFr---{QDBusConnection}
|           |-InputEventManag---{QDBusConnection}
|           |-MostNetworkMana---6*[{MostNetworkMana}]
|           |-VideoOnDemand---6*[{VideoOnDemand}]
|           |-WindowManager+-{QDBusConnection}
|           |           `-{WindowManager}
|           |-afm-user-daemon
|           |-dbus-daemon
|           |-lightmediascann+-{gdbus}
|           |           `-{gmain}
|           |-loadDriver.sh---sleep
|           |-pulseaudio+-{alsa-sink-rsnd-}
|           |           `-{alsa-source-rsn}
|           `-rygel+-{gdbus}
|           `-{gmain}
|-systemd-journal
|-systemd-logind
|-systemd-udev
|-tcf-agent---3*[{tcf-agent}]
|-udisks-daemon+-udisks-daemon
|
|           |-{gdbus}
|           `-{gmain}
|-weston(display) +-weston-keyboard
|           `-{weston}
|-wpa_supplicant

```

SESSION



## Secure mode with user sessions (agl-image-ivi, EE)

```

systemd+-AudioManager+-{dlt_receiver}
|
|           `-{dlt_segmented}
|-afm-system-daem(afm)
|-agetty
|-avahi-daemon(avahi)---avahi-daemon
|-bluetoothd
|-connmand
|-cynara(cynara)
|-dbus-daemon(messagebus)
|-dlt-system+-{dlt_receiver}
|           `-{dlt_segmented}
|-klogd
|-ofonod
|-polkitd(polkitd) +-{JS GC Helper}
|
|           |-{JS Sour~ Thread}
|           |-{gdbus}
|           |-{gmain}
|           `-{polkitd}
|-security-manage---{security-manage}
|-sshd
|-syslogd
|-sleep(agl-driver)---(sd-pam)
|-systemd(agl-driver) +- (sd-pam)
|
|           |-afm-user-daemon
|           |-dbus-daemon
|           |-lightmediascann+-{gdbus}
|           |           `-{gmain}
|           |-rygel+-{gdbus}
|           |           `-{gmain}
|           `weston-terminal---sh
|
|           |-afm-user-daemon
|           |-dbus-daemon
|           |-lightmediascann+-{gdbus}
|           |           `-{gmain}
|           |-rygel+-{gdbus}
|           |           `-{gmain}
|           `weston-terminal---sh
|-systemd-journal
|-systemd-logind
|-systemd-udev
|-tcf-agent---3*[{tcf-agent}]
|-udisks-daemon+-udisks-daemon
|
|           |-{gdbus}
|           `-{gmain}
|-weston(display) +-weston-keyboard
|
|           `-{weston}
`wpa_supplicant

```